

MATERIAL SAFETY DATA SHEET

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Material Name: SEAL-ONCE
Product Use: Waterproofer for wood and cementitious materials
Manufacturer/Supplier: NEW IMAGE COATINGS, LLC
Address: 150 Dow St., Manchester, NH 03101
Emergency Tel. #: (603)669-8786; FAX (603)669-9048

SECTION 2. COMPOSITION/INFORMATION OF INGREDIENTS*

<u>CAS</u>	<u>Wt%</u>	<u>Components</u>
7732-18-5	30-60%	Water
	20-50%	Co-Polymerized Polymer
108-88-3	10-40%	Decyl-Ocylt, Oligomeric Polymer

* Ingredients not precisely identified are either proprietary or non-hazardous

SECTION 3. HAZARDOUS IDENTIFICATION**

** As defined by OSHA Hazard Communication Standard, 29DFR 1910.1200. See Section 8 for Exposure Guidelines and Section 11 for Toxicology and Ingredient Specific Information.

Emergency Overview

Milky white liquid; mild odor;
Maybe slightly irritating to eyes or respiratory system.

Potential Health Hazards

Eyes: This product is a mild eye irritant based on similar materials.
Skin: This product is a mild skin irritant based on similar materials.
Inhalation: Vapors and/or aerosols of this material may slightly irritate mucous membranes, eyes, nose, and respiratory passages.

SECTION 4. FIRST AID MEASURES

Inhalation

Remove victim to fresh air. If a cough or other respiratory symptoms develop, consult medical personnel.

Skin Contact

Wash off of skin with plenty of soap and water. If redness, itching or burning sensation develops, get medical attention. Wash contaminated clothing and decontaminate footwear before reuse.

Eye Contact

Immediately flush with plenty of water for at least 15 minutes. If redness, itching or burning sensation develops, have eyes examined and treated by medical personnel.

Ingestion

DO NOT INDUCE VOMITING. Give one or two glasses of water to drink and refer to medical personnel or take direction from either a physician or a poison control center. Never give anything by mouth to an unconscious person.

SECTION 5. FIRE FIGHTING MEASURES

Flammable Properties

Flash Point: >100° C (<212°F) Seta Flash Closed Tester

Lower Explosion Limit

Method: No Data

Upper Explosion Limit

Method: No Data

Extinguishing Agents

Water fog, alcohol foam, carbon dioxide, dry chemical, halogenated agents.

Specific Protective Equipment for Firefighters

Wear self-contained breathing apparatus with full facepiece and protective clothing.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal Precautions

Wear skin, eye, and respiratory protection during cleanup.

METHODS FOR CLEANING UP

Soak up material with absorbent and shovel into a chemical waste container.

Contain spill.

SECTION 7. HANDLING AND STORAGE

Handling

Avoid breathing vapors or aerosols.

Prevent skin and eye contact.

This product, which is an aqueous dispersion of a polymer may be difficult to remove without injuring the skin if allowed to dry.

Requirements for Storage Areas and Containers

Keep container tightly sealed. Store in a cool, well ventilated area away from heat, sources of ignition, direct sunlight and incompatible materials.

Keep from freezing.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Eye Protection

Safety glasses with side shields.

Skin and Body Protection

Impervious gloves and apron

Respiratory Protection

If needed, use NIOSH certified respirator for organic vapors, mists and fumes.

Hygienic Measures

Eyewash station and safety shower in work area.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Form: Liquid

Color: Milky White

Odor: Mild

pH: 7.2

Boiling Point: >100° C (<212°F)

Specific Gravity: 1.04 g/cm³

Water Solubility: (Miscible)

SECTION 10. STABILITY AND REACTIVITY

Conditions to avoid: No known conditions of instability

Materials to avoid: Strong oxidizers

Hazardous decomposition products: Carbon oxides, nitrogen oxides

Hazardous reactions: Hazardous polymerization is not known to occur.

SECTION 11. TOXICOLOGICAL INFORMATION

Skin irritation: Skin irritant based on similar materials.

Eye irritation: Eye irritant based on similar materials.

NTP N.D.

IARC N.D.

OSHA N.D.

SECTION 12. ECOLOGICAL INFORMATION

Additional ecotoxicological remarks: No data

Environmental fate: No data

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal method: Discarded product is not a hazardous waste under RCRA, but may be regulated by other jurisdictions.

Container disposal: Empty container retains product residue. Observe all hazard precautions. Do not distribute, make available, furnish or reuse empty container, except for storage and shipment of original product. Remove all product residue from container and puncture or otherwise destroy empty container before disposal.

SECTION 14. TRANSPORT INFORMATION

Proper shipping name: Not regulated by US DOT

SECTION 15. REGULATORY INFORMATION

TSCA(TSCA Substances Control Act):	All ingredients are on the TCSA Chemical Substances inventory.
CEPA (Canadian Environmental Protection Act):	All ingredients NOT confirmed on the DSL (Domestic Substances List).
SARA Title III (Emergency Planning and Community Right-To-Know Act):	This product does not contain any chemicals subject to the reporting requirements of SARA Section 313.
California Proposition 65:	This product does not contain any chemicals known to the State of California to cause cancer.

SECTION 16. OTHER INFORMATION

Further Information:

We assigned NFPA and HMIS ratings to this product based on the hazards of its' ingredient(s). Because the customer is most aware of the application of the product, he must ensure that the proper personal protective equipment (PPE) is provided consistent with information contained I the product MSDS.*

NFPA Rating

Health: 1
Fire: 0
Reactivity: 0
Special:

HMIS Rating

Health: 1
Fire: 0
Reactivity: 0

**Personal Protection:

* This information is intended solely for the use of individuals trained in the particular hazard rating system.

** See appropriate MSDS section.

The information herein is given in good faith but no warranty, expressed or implied, is made.

OCTOBER 25, 2004